

# apache mills

A HEALTHY BUSINESS  
STARTS AT THE DOOR

**COMMERCIAL MATTING & MODULAR FLOORING**  
FOR ALL INDUSTRIES

# A HEALTHY BUSINESS STARTS AT THE DOOR



## WHO WE ARE

### SAFETY AND WELLNESS IS OUR TOP PRIORITY

Apache Mills is a global leader in floor mats for the commercial and residential markets. With 50 years of experience, we manufacture a broad line of USA-made products in our Calhoun, Georgia facilities. We strive to enhance the quality of life for our customers through design, performance, and innovation.

Our focus has always been to make your workplace safe, clean, and comfortable. Now more than ever, this remains our highest priority. SANIGUARD is our new brand name for products with sanitizing and antimicrobial features. Our new offerings include more products with better performance and higher safety ratings to address the new market expectations.


Sustainability is a priority interest for many organizations, and this is especially true at Apache Mills. We are now processing more recycled materials than ever before, incorporating recycled rubber and plastic bottles into new commercial products.

Our products and the market have changed over time, but one thing remains the same - our commitment to exceeding customer expectations in quality, value, service, and performance.

That's the Apache difference.



Our corporate headquarters, manufacturing, and distribution facilities are located in Calhoun, Georgia, USA.



## GREEN MATTERS



Our commitment to reducing the amount of waste products that enter our landfills is growing stronger every year. Each year we use approximately 100 million pounds of scrap tires in our mat bases and over 75 million plastic bottles in our carpet surfaces. In Apache's new line of SANIGUARD antimicrobial products, the carpet surfaces are made with recycled fibers.

The Apache line of products reflects our environmental philosophy.

To us...Green Matters.



### NATIONWIDE FIELD SUPPORT

Through our National Distributor Network, we are on stand-by to assist you with your matting requirements. Our team of experts can answer any question you may have. We also provide a Field Assessment service. We are available for on-site evaluations to help procurement and building managers determine the flooring solutions needed.

## WHAT WE DO

### VERTICAL MANUFACTURER

- Vinyl compounding and casting
  - Rubber manufacturing with molding processes
- Thermoplastic rubber extrusion
  - Robotic cutting processes
- Flocking processes
  - Carpet tufting
- Digital printing, screen printing, and heat transfer
- Design and R&D department



## WHERE WE'RE GOING

### INVESTING IN THE FUTURE

To support our growing business, we're investing in new machinery and processes, including:

- Rubber presses
- Flocking equipment
- Digital printing
- Upgraded vinyl casting operations
- Lamination for composite products



## INTRODUCING



### SAFEGUARDING BUSINESSES AGAINST DIRT, GERMS, AND BACTERIA HAS NEVER BEEN A HIGHER PRIORITY

The world and the way we live our lives have changed. Remote work, online interaction, and a clean and sanitized workplace are the new normal. Antimicrobial matting is not just for the healthcare industry, but is now in high demand across the commercial industry.

Businesses are implementing new procedures to improve employees' and visitors' safety. New health-related information messages, signs, and awareness campaigns are being promoted throughout the industry.

Introducing SANIGUARD, a new line of antimicrobial, disinfecting, sanitizing, and germ awareness floor mats.



**SANIGUARD® COLLECTION**




SANIGUARD TILE™ AM	6-7	DIAMOND DELUXE SOFTFOOT™ AM	12
GRAND BERBER™ AM / EDGE	8	AUTOCLAVABLE ACUPRESSURE MAT	13
DEFENDER™ AM	9	FINGERTIP MAT	14
PROTECTOR™ AM	10	SPLATTER GUARD URINAL MAT	15
STANDARD TUFF™ AM	11	TACKYMAT	15

**INDUSTRIAL / ANTI-FATIGUE MATTING**



<b>DRY AREAS</b>			
SUPREME SLIPTECH™	17	PERMAWALK™	39
DIAMOND FOOT™	18-19	<b>MODULAR TILES</b>	
DIAMOND STAR™	20-21	GRIDSTEP™	40-41
INVIGORATOR™	22	<b>FOOD SERVICE</b>	
K-MARBLE FOOT™	23	DYNAMIC FLOW™	43
ULTIMATE K-MARBLE FOOT™	23	TRUTREAD™	44
ARMOR STEP™	24	PERFORMA™	45
BUBBLEFLEX™	25	PERFORMA 100N™	45
WELDMASTER™	25	HONEYCOMB™	46
SOFT FOOT™	26-27	WORKSTEP™	47
STANDING DESK MAT	28	<b>RUNNERS</b>	
KNEE SAVER	29	DIAMOND™ RUNNER	49
<b>WET AREAS</b>		TUFF FOOT™ RUNNER	49
TRUTREAD™	32	<b>ELECTROSTATIC DISCHARGE (ESD)</b>	
SAFETY TRUTREAD™	33	CONDUCTIVE DIAMOND FOOT™	50
PERFORMA 100N™	34-35	SOFT FOOT APACHE STAT™	50
PERFORMA™	36-37	CONDUCTIVE DIAMOND RUNNER	51
WORKSTEP™	38	SWITCHBOARD™ CORRUGATED	51
COUNTERTRED™	39		

**ENTRANCE MATTING**



<b>INDOOR / OUTDOOR</b>			
ECOMAT CROSSHATCH™	53	CLEANLOOP™	65
ABSORBA SELECT™	54	IN-STYLE™ LOGO MATS	66
GATEKEEPER SELECT™	55	GERM AWARENESS MATS	67
SANIGUARD GRAND BERBER™ AM / EDGE	56	CUSTOM LOGO MATS	68-69
MAXIMA™ EDGE	57	<b>OUTDOOR</b>	
MAXIMA™ EDGE LOGO	57	MEGASCRAPER™	71
SANIGUARD DEFENDER™ AM	58	TROOPER™	72
CHEVRON RIB™	59	AQUAFLOW™	72
SANIGUARD PROTECTOR™ AM	60	SUPERGRIP™	73
APACHE RIB™	61	ECOMAT MISSION™	73
SANIGUARD STANDARD TUFF™ AM	62	<b>BOUTIQUE COLLECTION</b>	
STANDARD TUFF™	63	ENTRANCE MATTING	74
APACHEGRIP™	64	KITCHEN/CAFETERIA MATTING	75

**MISCELLANEOUS**




<b>ACCESSORIES</b>			
LOCKER BUDDYBOOT TRAY	76	15' GROUNDING CORD	76
APACHE ADHESIVE	76	MAT PLACEMENT GUIDE	77
APACHE NOSING	76	PERFORMANCE CHART	78
APACHELOK II	76	WARRANTY INFO	78
GROUNDING SNAP	76	CHEMICAL RESISTANCE CHART	79

**FEATURES ICON GUIDE:**

TOUGH SURFACE	NON-SLIP SURFACE	SPARK RESISTANT
NON-CONDUCTIVE	ANTI-STATIC	WATER RETENTION
ANTI-FATIGUE	DURABLE TOP LAYER	OIL/GREASE RESISTANT
ANTI-MICROBIAL	FIBER WEIGHT	CRUSH RESISTANT
BEST VALUE	TOTAL WEIGHT	MACHINE WASHABLE
SANITIZING	PORTABLE	DRIES QUICKLY
RECYCLED MATERIALS	DRAINAGE HOLES	ABSORBS MOISTURE
ADD-ON BORDERS	LIFETIME WARRANTY	5 YEAR WARRANTY

**PRODUCT RATING:**

Use the performance bar charts to quickly guide you to the best mat for your application.



**MORE WAYS TO CONNECT!**

**QR CODES** Simply hover your smart phone camera over the QR codes throughout the catalog for more information about our products.

**CONTACT US:**

**MAILING ADDRESS:**  
Apache Mills, Inc., 197 Royal Drive S.E., Calhoun, GA 30701

**TOLL FREE PHONE:** (800) 456-7791 (8-5pm EST)

**WEBSITE:** www.apachemills.com

**E-MAIL:** customerservice@apachemills.com

**CUSTOM CONFIGURATIONS:**

Apache mats can be customized to fit your specific work areas. Contact customer service for details.





## SECURE YOUR BUSINESS AGAINST DIRT, GERMS, AND BACTERIA

The turmoil brought about by the 2020 pandemic is likely to have long-lasting implications for many industries and businesses.

The way we work, communicate, and interact is very different than in the past. Safety and wellness are top priorities and businesses are adapting to this new environment. Using specialized products that minimize risk is the starting point in safeguarding your company.

Our new SANIGUARD collection features unique matting products that promote a healthier work environment.




### ANTIMICROBIAL

## SANIGUARD TILE™ AM


18" x 18" heavy-duty carpet tiles with peel-n-stick backing

- 28 oz. commercial grade carpet for busy **INDOOR** or **OUTDOOR** entrances and hallways
- Antimicrobial - stops germs and bacteria from entering the building
- Coarse HD fibers provide aggressive scraping and water retention
- Tiles can be repositioned to create new shapes and sizes
- Easy to install with the built-in adhesive backing, no additional glue required – works inside and outside
- 18" x 18" tiles come in 10 pack box, 22.5 square feet per box
- Also available in 24" x 24" special order tiles - 15 per box



## EASY INSTALLATION! JUST PEEL-N-STICK

**FOLLOW ARROW DIRECTION FOR PERFECT RESULTS!**



Bold rib pattern for better scraping


Charcoal 1701



Walnut 1403



Gray 1702



### THE **SANIGUARD** ADVANTAGE

- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 18 plastic bottles/sq. yd.

**Recommended Uses:**  
Business entryways, stores, supermarkets, factories, office buildings, and other high-traffic areas such as convention centers.

Spec. #1400  
Item #39-083-COLOR-01800018

Standard Tile Size:	
Nominal	Metric
18" x 18"	46 x 46 cm

Special Order Sizes:*	
Nominal	Metric
24" x 24"	61 x 61 cm

\*Minimum quantity required, call for details

Scan QR code for installation video





ANTIMICROBIAL

# SANIGUARD GRAND BERBER™ AM 44oz.

Designed to withstand the heaviest traffic areas, perfect for oversized foyers and entrances where one mat is required versus multiple individual mats

- 44 oz. contractor-quality hobnail carpet is virtually indestructible
- New coarse fiber system** for excellent soil removal
- Highest water retention
- Solution-dyed PET fiber for maximum stain and UV resistance
- Class 1 Rating for National Fire Protection Association (NFPA) 101 Classification
- Non-slip vinyl backing

**Recommended Uses:** Heaviest traffic areas like shopping malls, convention centers, airports, train stations, schools, office buildings, restaurants and healthcare facilities.





THE **SANIGUARD** ADVANTAGE

- EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ECO-FRIENDLY PET FIBERS** - Made from 32 plastic bottles/sq. yd.

Spec. #1401 Item #55-545-COLOR-SIZE

# GRAND BERBER™ EDGE AM 44oz.

- Spec. #1408 Item #55-547-COLOR-SIZE
- For extra border protection in high-traffic areas, Grand Berber is available with heavy-duty edging. Borders are glued and stitched for maximum durability.
  - Borders extends product life significantly. Borders backed with 2 year limited warranty.



GRAND BERBER BEATS THE COMPETITION!

Wear Resistance ASTM TABOR TEST	<b>GRAND BERBER - 2400 Cycles</b>	COMPETITOR - 1900 Cycles
Soil Removal ASTM SOIL TEST	<b>GRAND BERBER - 375 Composite Score</b>	COMPETITOR - 145 Score
Moisture Removal AATC TEST METHOD	<b>GRAND BERBER - 870 Composite Score</b>	COMPETITOR - 720 Composite Score
	<b>GRAND BERBER</b>	<b>COMPETITOR</b>
Fiber Construction	44oz. PET Polyester	44oz. Polypropylene
Critical Radiant Flux	Class 1	Class 2

Professional Testing Laboratories - 2020


ANTIMICROBIAL

# SANIGUARD DEFENDER™ AM 28oz.

Heavyweight, antimicrobial, and eco-friendly, the Defender is the perfect choice for today's high-traffic commercial areas

- 28 oz. commercial grade carpet offers excellent soil removal and water retention
- New coarse fiber system** for excellent scraping
- Solution-dyed PET fiber for maximum stain and UV resistance
- Attractive Chevron pattern offers non-directional scraping action
- Slip-resistant vinyl backing

**Recommended Uses:** High-traffic indoor entrances.



Spec. #1402 Item #55-544-COLOR-SIZE

**56%**  
MORE FIBER WEIGHT THAN CHEVRON RIB

THE **SANIGUARD** ADVANTAGE

- EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ECO-FRIENDLY PET FIBERS** - Made from 20 plastic bottles/sq. yd.



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length

Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		


Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length





**50%**  
MORE FIBER WEIGHT  
THAN APACHE RIB

**87%**  
MORE FIBER WEIGHT  
THAN STANDARD TUFF OLEFIN

**PLUSH PET FIBERS  
FOR EXCELLENT SOIL  
REMOVAL AND WATER  
RETENTION**

**ANTIMICROBIAL**


**SANIGUARD PROTECTOR™ AM 24oz.**

Traditional double-rib pattern in a heavyweight construction packaged with high-end features, offers maximum value

- 24 oz. heavyweight carpet offers excellent soil removal and water retention
- Solution-dyed UV stabilized PET fiber is highly stain-resistant
- **New coarse fiber system** for excellent scraping
- Slip-resistant vinyl backing

THE **SANIGUARD** ADVANTAGE

- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 18 plastic bottles/sq. yd.



Recommended Uses: Medium to high-traffic indoor entrances and walkways.

Spec. #1403 Item #55-543-COLOR-SIZE



**ANTIMICROBIAL**


**SANIGUARD STANDARD TUFF™ AM 15oz.**

Plush carpet with crisp and clean edge appearance - now packed with antimicrobial protection

- 15 oz. plush Dilour needlepunch carpet
- Solution-dyed UV stabilized PET fiber is highly stain resistant
- Does not peel and shed like traditional tufted plush carpets
- Slip-resistant vinyl backing


THE **SANIGUARD** ADVANTAGE

- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 12 plastic bottles/sq. yd.



Recommended Uses: Medium to high-traffic indoor entrances and walkways.

Spec. #1404 Item #55-546-COLOR-SIZE



Standard Mat Sizes:

Nominal	Metric
2' x 3'	60 x 86 cm
3' x 4'	86 x 116 cm
3' x 5'	86 x 147 cm
3' x 6'	86 x 147 cm

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length

Standard Mat Sizes:

Nominal	Metric
2' x 3'	60 x 86 cm
3' x 4'	86 x 116 cm
3' x 5'	86 x 147 cm
3' x 6'	86 x 147 cm

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length



ANTIMICROBIAL  
MATTING IS NOT JUST  
FOR THE HEALTHCARE  
INDUSTRY, IT ALSO  
CREATES A CLEANER  
ENVIRONMENT FOR  
ANY WORKPLACE



LABS / CLEAN ROOMS



HEALTHCARE



FOOD PROCESSING



MANUFACTURING / DISTRIBUTION



RETAIL / HOSPITALITY



Black/Yellow  
0903



Black  
0900

ANTIMICROBIAL

DIAMOND DELUXE  
**SOFTFOOT™ AM**

Durable vinyl surface bonded to a resilient, closed-cell vinyl foam, providing excellent anti-fatigue and wear characteristics

- **1/2" Total Mat Thickness**
- Closed-cell vinyl foam recommended for dry to moist environments
- Textured surface patterns and beveled edges provide safety
- Materials can be trimmed to custom fit any work area



**Recommended Uses:** Industrial, service counters, distribution centers and machine shops.

Spec. #117 (Black) Item #20-570-0900-SIZE  
Spec. #118 (Black/Yellow) Item #20-570-0903-SIZE

Standard Mat Sizes:

Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 12'	91 x 366 cm

Standard Roll Sizes:

Nominal	Metric
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

Custom Sizes:  
2', 3', and 4'  
widths up to  
60' length





ANTIMICROBIAL

AUTOCLAVABLE  
**ACUPRESSURE MAT**


Antimicrobial anti-fatigue mat with a pyramid design that provides acupressure relief for tired feet, ideal for long O.R. surgery procedures to alleviate fatigue symptoms

- **1/2" Total Mat Thickness**
- Antimicrobial - reduces odor and prevents growth of bacteria, mold, and mildew
- Perfect for sterile environments like hospital surgical rooms, laboratories, pharmaceutical facilities, and food processing plants
- Latex-free 100% nitrile rubber
- Raised pyramid surface design offers excellent traction and an acupressure effect for tired feet
- Elegant rubber mat in a neutral gray color is designed for the healthcare industry, and is also ideal for upscale retail and office environments

**PERFECT FOR  
STERILE  
ENVIRONMENTS!**



Spec. #244 Item #39-096-2800-20000300



**Recommended Uses:**  
Hospitals, laboratories, upscale retail and office buildings.

Standard Mat Size:

Nominal	Metric
24" x 36"	61 x 91 cm



1"  
2  
THICK

SANITIZING

## FINGERTIP MAT

Sanitizing rubber mat is designed to remove dirt, germs, and bacteria from the bottom of footwear in an industrial environment

- Heavy-duty natural rubber mat
- Chemically resistant to common disinfectant solutions
- 1-Gallon (3.8 liters) containment capacity mat system
- Ideal for food processing as well as other work environments seeking methods to remove contaminants from foot traffic



MAX	HIGH	HIGH
10	9	9
SCRAPING	WATER RETENTION	WEAR RESISTANCE



**POUR IN CLEANING SOLUTION**  
HOLDS UP TO 1 GALLON

Spec. #1406  
Item #55-085-0900-02400032



**Recommended Uses:**  
Labs, clean rooms, food processing, and factories.


Standard Mat Size:	Nominal	Metric
	24" x 32"	61 x 81 cm

ANTIMICROBIAL

## SPLATTER GUARD™ URINAL MATS

Keep restrooms clean and looking professional

- Antimicrobial surface - protects floors from the spread of germs and bacteria
- Fast-drying carpet fibers
- Poly fibers allow urine and moisture to air-dry after neutralizing the odor-causing enzymes
- Reduces splatter and keeps floors dry
- Attractive design enhances the look of your restroom



Spec. #1407  
Item #39-541-5900-01700020

**Recommended Uses:**  
Restaurants, bars, and factory restrooms. Place under free-standing urinals.

Standard Mat Size:	Nominal	Metric
	17" x 20"	43 x 51 cm



Splatter Guard urinal mats are shipped in an easy-dispensing 12-pack



ANTIMICROBIAL

## TACKYMAT™

Clean room entrance mat effectively removes dirt and debris from shoes

- TackyMat with antimicrobial surface is ideal for labs and medical facilities
- 30 disposable sheets per mat, 4 mats per case
- TackyMat sold without tray
- Available in white or blue adhesive sheets



When top layer gets too dirty, simply peel off top layer and throw away!

Spec. #810  
Item #39-454-1041-SIZE (white)  
Item #39-454-0500-SIZE (blue)

**Recommended Uses:** Labs, medical facility entries, and doorways.



Standard Mat Size:	Nominal	Metric	Nominal	Metric
	18" x 36"	46 x 91 cm		
	18" x 46"	46 x 117 cm	24" x 46"	61 x 117 cm
			36" x 46"	91 x 117 cm



# INDUSTRIAL | ANTI-FATIGUE | DRY AREAS

## STANDING ON HARD SURFACES FOR A LONG PERIOD OF TIME PRODUCES DETRIMENTAL EFFECTS ON THE BODY


Apache anti-fatigue mats are designed to reduce stress on joints and minimize back, leg, and foot fatigue. A well designed anti-fatigue mat program improves workers' energy and productivity. Other benefits are improved morale and a healthier workforce.

One of the most comprehensive product ranges in the industry has been expanded to include antimicrobial anti-fatigue mats for healthier and safer work environments.



### WHY ANTI-FATIGUE?

## THE ORTHOPEDIC ADVANTAGE



Black/Yellow  
0903



Black  
0900





FOR ULTIMATE COMFORT

## SUPREME SLIPTECH™

Anti-fatigue matting with a high-traction surface, top layer and foam backing compress for extra comfort

- **11/16" Total Mat Thickness**
- Rubberized surface bonded to ergonomic vinyl closed-cell foam provides unparalleled comfort compared to other composite anti-fatigue mats
- Large industrial pyramid surface provides great traction, compression, and dual compression-deflection properties between surface and foam
- Rubberized wear-surface outlasts other wear-surfaces - less than 1% loss (per ASTM D3884; 1000 Gram load; 1000 cycles)
- Wear-surface will resist most common chemicals
- Limited lifetime warranty against wear and delamination

	DRY FRICTION COEFFICIENT	WET FRICTION COEFFICIENT
DIAMOND PLATE ANTI-FATIGUE	.8424	.7262
<b>APACHE SUPREME SLIP-TECH™ ANTI-FATIGUE</b>	<b>.8800</b>	<b>.7839</b>
<b>% BETTER PER ASTM C-1028</b>	<b>8%</b>	<b>5%</b>



Spec. #220 Item #39-136-COLOR-SIZE

**Recommended Uses:**  
Automotive and industrial work cells, packing areas, machine shops, and maintenance areas.

Standard Mat Sizes:	Nominal		Metric	
	2' x 3'	3' x 5'	61 x 91 cm	91 x 152 cm
	3' x 10'		91 x 305 cm	

Standard Roll Sizes:	Nominal		Metric	
	2' x 60'	3' x 60'	61 x 1829 cm	91 x 1829 cm
	4' x 60'		122 x 1829 cm	

**Custom Sizes:**  
2', 3', and 4' widths up to 60' length

**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.







## DIAMONDFOOT™

With a solid vinyl top surface bonded to our ErgoFlex foam, DiamondFoot is an industry icon for outstanding comfort and durability – engineered to maintain its performance year after year

- **9/16" Total Mat Thickness**
- Available Colors: Solid Black, Solid Gray, Black/Yellow, Black/Yellow Chevron
- Industry favorite diamond plate surface for enhanced traction
- Beveled edges for safety
- Surface resists common fluids, most chemicals, and is non-flammable
- Limited lifetime warranty against wear and delamination




Spec. #210 Item #39-065-COLOR-SIZE

## SUPREME DIAMONDFOOT™

The same great features as the regular DiamondFoot, but with 1/2" thick ErgoFlex foam for enhanced standing comfort

- **11/16" Total Mat Thickness**
- Available Colors: Solid Black, Solid Gray, Black/Yellow, Black/Yellow Chevron
- Thick ErgoFlex foam technology provides greater resilience and enhanced worker standing comfort
- Limited lifetime warranty against wear and delamination





Spec. #215 Item #39-165-COLOR-SIZE

## ULTIMATE DIAMONDFOOT™

With 3/4" thick ErgoFlex foam, this matting offers the ultimate standing comfort

- **15/16" Total Mat Thickness**
- Available Colors: Solid Black, Black/Yellow, Black/Yellow Chevron
- Thickest ErgoFlex foam provides the ultimate comfort in the most demanding work environments
- Limited lifetime warranty against wear and delamination



Spec. #230 Item #39-565-COLOR-SIZE


**Recommended Uses:**  
Automotive and industrial work cells.  
Packing, machine shops, and maintenance areas.

Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

Standard Roll Sizes:	
Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

**Custom Sizes:**  
2', 3', and 4' widths up to 75' length

**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.





Solid Black 0900

Solid Gray 0700



Black/Yellow 0903

Black/Yellow Chevron 0917

## DIAMONDSTAR™

Durable vinyl surface bonded to a resilient, closed-cell vinyl foam, providing excellent anti-fatigue and wear characteristics

- **9/16" Total Mat Thickness**
- Available Colors: Solid Black, Solid Gray, Black/Yellow, Black/Yellow Chevron
- Industry-favorite diamond plate surface for enhanced traction
- Surface resists common fluids, most chemicals, and is non-flammable
- Limited 5-year warranty against wear and delamination





Spec. #606 Item #39-067-COLOR-SIZE

## SUPREME DIAMONDSTAR™

This matting uses 1/2" dense close-cell foam for enhanced comfort

- **11/16" Total Mat Thickness**
- Available Colors: Solid Black, Solid Gray, Black/Yellow, Black/Yellow Chevron
- Thick, ergonomic foam provides greater resilience and enhanced standing comfort
- Popular diamond plate surface for enhanced traction
- Surface resists common fluids, most chemicals, and is non-flammable
- Limited 5-year warranty against wear and delamination





Spec. #608 Item #39-277-COLOR-SIZE

## ULTIMATE DIAMONDSTAR™

With 3/4" foam, this matting offers the ultimate in standing comfort

- **15/16" Total Mat Thickness**
- Available Colors: Solid Black, Black/Yellow, Black/Yellow Chevron
- Thickest foam provides the ultimate comfort in the most demanding work environments
- Popular diamond plate surface for enhanced traction
- Surface resists common fluids, most chemicals, and is non-flammable
- Limited 5-year warranty against wear and delamination



Spec. #607 Item #39-267-COLOR-SIZE



**Recommended Uses:**  
Automotive and industrial work cells.  
Packing, machine shops, and maintenance areas.



**Standard Mat Sizes:**

Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm



**Standard Roll Sizes:**


Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm



**Custom Sizes:**  
2', 3', and 4' widths up to 75' length



**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.








### INVIGORATOR™

Durable, wide-ribbed vinyl surface enhances traction and is easy to clean

- 1/2" Total Mat Thickness
- Beveled edges for extra safety
- Comfortable ErgoFlex foam provides anti-fatigue relief
- Resists common chemicals and fluids when cleaned regularly
- Limited 5-year warranty against wear and delamination



Spec. #235 Item #34-470-COLOR-SIZE

**Recommended Uses:**  
Industrial work cells, registers, service and checkout counters.

Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

Standard Roll Sizes:	
Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

**Custom Sizes:**  
2', 3', and 4' widths up to 75' length



Gray 0700



Blue 0500

Black 0908

### K-MARBLEFOOT™

Anti-fatigue mat with a vinyl surface bonded to a 3/8" closed-cell vinyl foam




- 1/2" Total Mat Thickness
- Wear-resistant vinyl surface bonded to comfortable foam backing relieves fatigue from prolonged standing
- Industry popular marble-effect top surface hides dirt and is easy to clean
- Resists common chemicals and solvents when cleaned regularly
- Limited 5-year warranty against wear and delamination



Spec. #242 Item #39-064-COLOR-SIZE

### ULTIMATE K-MARBLEFOOT™

Same great features as K-Marble, but on a thicker base



Spec. #243 Item #39-564-COLOR-SIZE

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.

Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

Standard Roll Sizes:	
Nominal	Metric
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

**Custom Sizes:**  
2', 3', and 4' widths up to 60' length

**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.





Pebbled  
270-0900

Diamond  
Deckplate  
570-0900

## ARMORSTEP™



2-Layer foam with extra-tough surface layer provides amazing, long-wearing durability

- 1/2" Total Mat Thickness
- Outlasts traditional one-layer foam mats 3 to 1
- Dual dense foam is a great cost-effective alternative to other laminated foam-based products
- Resists common chemicals and fluids
- Limited 5-year warranty against wear and delamination

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.



GREAT ALTERNATIVE TO TRADITIONAL COMPOSITE MATTING



Spec. #150 Item #47-270-0900-SIZE (Pebbled), #47-570-0900-SIZE (Diamond Deckplate).



Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm


Standard Roll Sizes:	
Nominal	Metric
2' x 60'	61 x 1829 cm
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

Custom Sizes:  
2', 3', and 4' widths up to 60' length

## BUBBLE FLEX™

Functional air-pocket design provides comfort and exceptional durability in demanding industrial settings

- 1/2" Total Mat Thickness
- Sturdy rubber bubble design stimulates blood flow and energizes legs and backs
- Beveled edges for extra safety
- Oil and grease resistant




Black  
0900

Spec. #325 Item #39-097-0900-SIZE

**Recommended Uses:**  
Industrial work cells, cash registers, and service counters.

Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 4'	91 x 122 cm





## WELDMASTER™

Durable anti-fatigue matting designed for welding and other industrial applications


- 1/2" Total Mat Thickness
- Textured rubber surface helps prevent slipping and repels sparks
- Rounded corners for added safety



Spec. #800 Item #44-172-0900-SIZE



Black  
0900



Custom Sizes:  
2', 3', and 4' widths up to 75' length

**Recommended Uses:**  
Welding and grinding work cells, general industrial anti-fatigue settings.



Standard Mat Sizes:	
Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

Standard Roll Sizes:	
Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm



Pebble Emboss Gray 260-0700  
Pebble Emboss Black 260-0900


Standard Emboss Gray 160-0700  
Standard Emboss Black 160-0900

## SOFTFOOT™

Comfortable anti-fatigue matting provides relief for aching feet and lower back

- **3/8" Total Mat Thickness**
- Closed-cell vinyl foam recommended for dry to moist environments
- Textured surface patterns and beveled edges provide safety
- Material can be trimmed to custom fit any work area

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.



Spec. #105 Item #20-160-0900-SIZE (Std Black), Item #20-160-0700-SIZE (Std Gray), Item #20-260-0900-SIZE (Pebble Black), Item #20-260-0700-SIZE (Pebble Gray)

Custom Sizes: 2', 3', 4', and 6' widths up to 60' length

Standard Mat Sizes:		Standard Roll Sizes:		Standard Mat Sizes:		Standard Roll Sizes:	
Nominal	Metric	Nominal	Metric	Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	2' x 30'	61 x 914 cm	4' x 30'	122 x 914 cm	2' x 3'	61 x 91 cm
27" x 36"	68 x 91 cm	2' x 60'	61 x 1829 cm	4' x 60'	122 x 1829 cm	3' x 5'	91 x 152 cm
27" x 60"	68 x 152 cm	3' x 30'	91 x 914 cm	6' x 60'	183 x 1829 cm		
3' x 5'	91 x 152 cm	3' x 60'	91 x 1829 cm				





## SUPREME SOFTFOOT™

Construction with increased thickness for additional comfort

- **5/8" Total Mat Thickness**
- Closed-cell vinyl foam recommended for dry to moist environments
- Textured surface patterns and beveled edges provide safety
- Material can be trimmed to custom fit any work area

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.



Spec. #115 Item #20-280-0900-SIZE (Pebble)

Custom Sizes: 2', 3', and 4' widths up to 60' length

Standard Mat Sizes:		Standard Roll Sizes:	
Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	2' x 60'	61 x 1829 cm
3' x 5'	91 x 152 cm	3' x 60'	91 x 1829 cm
		4' x 60'	122 x 1829 cm



Standard Emboss Black/Yellow 163-0903

Pebble Emboss Black/Yellow 263-0903

Diamond Emboss Black 0900

Diamond Emboss Black/Yellow 0903



**FOR EXTRA WEAR-RESISTANCE**  
Optional on Pebble Embossed


## SAFETY SOFTFOOT™

& SAFETY SOFTFOOT™ with DURASHIELD™

Bright yellow borders for increased visual safety awareness

- **3/8" Total Mat Thickness**
- Closed-cell vinyl foam recommended for dry to moist environments
- Textured surface and beveled edges provide safety
- Material can be trimmed to custom fit any work area
- DuraShield only available on Pebble Emboss

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.



Spec. #110 Item #20-163-0903-SIZE (Std Blk/Ylw), Item #20-263-0903-SIZE (Pebble Blk/Ylw)

Spec. #111 (with Dura Shield) Item #19-263-0903-SIZE (Pebble Black/Yellow)

Custom Sizes: 2', 3', and 4' widths up to 60' length



Standard Mat Sizes:		Standard Roll Sizes:	
Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	2' x 60'	61 x 1829 cm
3' x 5'	91 x 152 cm	3' x 60'	91 x 1829 cm
		4' x 60'	122 x 1829 cm

## DIAMOND DELUXE SOFTFOOT™

SoftFoot construction with popular diamond plate surface provides superior traction

- **1/2" Total Mat Thickness**
- Closed-cell vinyl foam recommended for dry to moist environments
- Textured surface patterns and beveled edges provide safety
- Material can be trimmed to custom fit any work area

**Recommended Uses:**  
Industrial, service counters, distribution centers, and machine shops.



Spec. #117 (Black) Item #20-570-0900-SIZE  
Spec. #118 (Black/Yellow) Item #20-570-0903-SIZE

Custom Sizes: 2', 3', and 4' widths up to 60' length

Standard Mat Sizes:		Standard Roll Sizes:	
Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	2' x 60'	61 x 1829 cm
3' x 5'	91 x 152 cm	3' x 60'	91 x 1829 cm
3' x 12'	91 x 366 cm	4' x 60'	122 x 1829 cm



SAY GOODBYE TO MUSCLE SORENESS, LEG FATIGUE, AND KNEE PAIN!

Gray 1702



ELEGANT LEATHERETTE SURFACE



Black 1900

Black

## STANDING DESK MATS

Specially engineered design allows workers to maintain a relaxed standing posture for an extended time

- Specially contoured anti-fatigue design is ideal for computer work
- The rear part (back area) of the mat features a 1-3/4" thick foam that absorbs the weight of the body through the heel, while the rest of the foot relaxes on a thinner foam.
- Unique anti-fatigue design for working in front of a stand-up desk or service counter
- Polyurethane foam core is laminated to a textured non-slip vinyl leatherette surface




Spec. #326 Item #60-019-COLOR-02300035

## KNEESAVER™

Kneeling mat reduces knee and lower back pain from prolonged kneeling on hard surfaces

- 1" thick closed-cell nitrile blend, resilient foam
- Non-conductive and minimal water absorption
- Lightweight with built-in handle for easy carrying and storage



Recommended Uses:  
Garage and auto body shops, grating, and maintenance areas.

Spec. #815 Item #39-098-0900



Standard Mat Sizes:		
Nominal	Actual	Metric
2' x 3'	23" x 35"	58 x 89 cm



Standard Mat Sizes:			
Actual	Metric	Actual	Metric
14" x 21"	36 x 53 cm	16" x 28"	41 x 71 cm
12" x 22"	30 x 56 cm	18" x 36"	46 x 91 cm



Recommended Uses:  
Offices, receptionist areas, workstations, and service counters.



## SAFETY FIRST - SAFETY LASTS

Using proper industrial matting is critical to a safe and productive work environment. It is no coincidence that anti-fatigue matting reduces cost and increases worker productivity. In fact, one third of occupational injuries are the direct result of overexertion or bodily reaction caused by an incident or repetitional work. The best remedy is to use the right floor mats that are comfortable and provide traction to reduce slips, trips, and falls.



Custom-build industrial matting to fit around your equipment.

### DESIGNED FOR COMFORT

Our anti-fatigue mats are engineered to boost comfort for workers who find themselves standing on their feet for hours at a time. Functional surface patterns provide traction that reduces slips and falls.



### WATER DRAINAGE

Drainage mats are easy to clean and provide long-lasting durability.



### BUILT-IN CONNECTORS

Makes it easy to create modular flooring.



## WHICH RUBBER COMPOUND IS RIGHT FOR YOU?



### GENERAL PURPOSE BLACK

Popular anti-fatigue mat compound that offers basic proven performance needed in most work environments. This compound resists water, boric acid, and ethylene glycol. Available in SOLID or OPEN DRAINAGE patterns as well as GRITTED options.

### GREASE-RESISTANT RED

Engineered to resist most common fluids, our grease-resistant red mats are commonly used in kitchens and machine shops that have higher levels of grease and oil exposure. This rubber compound includes NBR, which offers longer-lasting durability in more demanding environments.

### CFR (CUTTING FLUID RESISTANT)

Specially formulated compound engineered to resist cutting mineral oils, silicone-based brake fluids, boric acid, and ethylene glycol. Available in multiple drainage mats.

### 100% NITRILE (NBR)

Highest performance compound in the industry, the 100% nitrile product stands up to all fluids. This includes all environments covered by our GENERAL PURPOSE BLACK, GREASE-RESISTANT RED, AND CFR mats. In addition, the 100% nitrile is resistant to animal fats, diesel oil, chlorine solutions, brake fluid, petroleum-based hydraulic oil, salt water, vegetable oil, and other caustic fluids.

SLIP & FALL INJURIES INCREASE COSTS AND CONTRIBUTE TO HIGHER INSURANCE RATES, REASSIGNMENT OF PERSONNEL, AND LOSS OF PRODUCTIVITY



### THE CAUSES OF SLIPS AND FALLS:

- Spills and surface contamination
- Use of inappropriate footwear
- Walkway surfaces in disrepair
- Slippery floors • Lack of matting



### THE COST OF SLIPS AND FALLS:

In North America, slips and falls lead to 104 million lost work days, costing approximately \$36 billion each year.






GREASE-RESISTANT

**TRUTREAD™**  
BLACK


Spec. #311  
Item #39-171-0920-SIZE



GREASEPROOF

**TRUTREAD™**  
RED


Spec. #312  
Item #39-171-0101-SIZE



GREASE-RESISTANT

**TRUTREAD™**  
BLACK with GRIT TUFF


Spec. #313  
Item #39-271-0920-SIZE



GREASE-RESISTANT

**SAFETY TRUTREAD™**  
BLACK with **ORANGE** Border


Spec. #319  
Item #46-503-0933-SIZE (3-sided borders)  
Item #46-504-0933-SIZE (4-sided borders)



GREASE-RESISTANT

**SAFETY TRUTREAD™**  
BLACK with **YELLOW** Border

Spec. #319  
Item #46-503-0903-SIZE (3-sided borders)  
Item #46-504-0903-SIZE (4-sided borders)




**SAFETY TRUTREAD™**  
**GREASE-RESISTANT**  
**BLACK W/ GRIT**

**ORANGE** Border Spec. #320  
Item #66-503-0933-SIZE (3-sided)  
Item #66-504-0933-SIZE (4-sided)

OR

**YELLOW** Border Spec. #320  
Item #66-503-0903-SIZE (3-sided)  
Item #66-504-0903-SIZE (4-sided)




**TRUTREAD™ & SAFETY TRUTREAD™**

Heavy-duty, thick rubber construction for wet and demanding environments

- **7/8" Total Mat Thickness**
- Drainage holes allow liquids and waste to pass through matting
- Comfortable construction eases fatigue and increases productivity
- Available in a greaseproof red or grease-resistant black color.
- Safety TruTread available in black only
- TruTread black is available with a grit surface for extra traction
- Oil and grease-resistant

**WHY GRIT TUFF™ ?**

- Increase Traction
- Reduce Slipping
- Extreme Durability




**USE CONNECTORS TO CUSTOMIZE MATTING AREAS**

Build large matting areas, have the mats fit perfectly around machines and work stations. Make your matting fit your needs.



**TRUTREAD X-Connectors**  
An easy way to join multiple mats together. Call for details.  
Item #39-272-0920



Recommended Uses:  
Oily and greasy industrial workstations. Bar and kitchen wet areas.

Standard Mat Sizes:

Nominal	Metric
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm

Custom Configurations:  
Create unique shapes to fit any workspace. Call for details.



**SAFETY TRUTREAD™ WITH BORDERS**

Standard Mat Sizes (3-sided):

Nominal	Metric
26" x 40"	66 x 102 cm
38" x 52"	97 x 132 cm
38" x 64"	97 x 163 cm
38" x 124"	97 x 315 cm

Standard Mat Sizes (4-sided):

Nominal	Metric
28" x 40"	71 x 102 cm
40" x 52"	102 x 132 cm
40" x 64"	102 x 163 cm
40" x 124"	102 x 315 cm

Custom Configurations:  
Create unique shapes to fit any workspace. Call for details.



**BUILT-IN CONNECTORS MAKE IT EASY TO CREATE CUSTOM MATTING AREAS**


**4 STYLES**  
FOR DIFFERENT APPLICATIONS

GREASE-RESISTANT

**PERFORMA 100N™**

Standard black mat has all the great features listed below

Spec. #321  
Item #39-279-0923-30000300




GREASE-RESISTANT

**PERFORMA 100N™ GRIT**

Durable textured grit surface for maximum traction

Spec. #322  
Item #39-179-0923-30000300




GREASE-RESISTANT

**PERFORMA 100N™ SOLID DECK**

Standard black mat without drainage holes

Spec. #323  
Item #39-074-0900-30000300




GREASE-RESISTANT


**PERFORMA 100N™ SOLID DECK GRIT**

Durable textured grit surface for maximum traction

Spec. #324  
Item #39-075-0900-30000300



9 TILE SURFACE PATTERN




100 NITRILE

**PERFORMA 100N™**


Interlocking drainage mat with highest level of grease and petroleum resistance, made of 100% Nitrile

- **5/8" Total Mat Thickness**
- Made from Nitrile materials, Performa 100N is ideal for demanding industrial and kitchen environments exposed to oil and grease spills
- Modular 3' x 3' mats are lightweight and easy to handle for easy clean-up
- Performa 100N will not deteriorate from the effect of oils and fats
- Can be cleaned in commercial dishwashing machines
- Nib backing elevates mat above surface for improved drainage, and large holes allows debris to fall through
- Performa 100N is also available with a gritted surface for extra traction



**USE BUILT-IN CONNECTORS TO CREATE CUSTOM MATTING AREAS**

Build large matting areas, have the mats fit perfectly around machines and work stations. Make your matting fit your needs.



**Recommended Uses:**  
Industrial workstations exposed to heavy oil, grease, and petroleum-based chemicals. Bar, kitchen, and food processing areas.


	Standard Mat Sizes:	
	Nominal	Metric
x y	3' x 3'	91 x 91 cm



**Beveled Edge Pieces:** Mats can be ordered with removable edging (black or yellow). Size: 3" x 39". Edging sold individually.



Specify:  
Yellow or Black - Male Connectors or  
Yellow or Black - Female Connectors



**2-SIDED CONNECTORS**  
Performa 100N has connectors on two sides, making mats easy to join together to build larger matting areas in any direction.

**Custom Configurations:**  
Create unique shapes to fit any workspace.



**BUILT-IN CONNECTORS MAKE IT EASY TO CREATE CUSTOM MATTING AREAS**

**6 STYLES**  
FOR DIFFERENT APPLICATIONS


**GENERAL PURPOSE**

**PERFORMA™**

Standard black mat has all the great features listed below

Spec. #307

Item #39-078-0920-30000300




**GENERAL PURPOSE**

**PERFORMA™ GRIT**

Durable textured grit surface for maximum traction

Spec. #309

Item #39-178-0920-30000300




**GENERAL PURPOSE**

**PERFORMA™ SOLID DECK**

Standard black mat without drainage holes

Spec. #315

Item #39-478-0920-30000300




**GENERAL PURPOSE**

**PERFORMA™ SOLID DECK with GRIT**

Durable textured grit surface for maximum traction

Spec. #317

Item #39-578-0920-30000300



OIL / GREASE RESISTANT


**GREASE-RESISTANT**

**PERFORMA™ RED**

Perfect for industrial work areas with high oil exposure

Spec. #308

Item #39-078-0101-30000300



CUTTING FLUID RESISTANT


**CUTTING FLUID-RESISTANT**

**PERFORMA™ CFR**

Cutting fluid resistant surface

Spec. #306


Item #39-191-0900-30000300



**PERFORMA™**


Popular anti-fatigue mat manufactured from a hard-wearing rubber compound

- **5/8" Total Mat Thickness**
- Modular drainage mat with two-sided built-in connectors
- Nib backing elevates mat above surface for improved drainage
- Available in a grease-resistant red or general purpose black color
- Performa Black is also available with a gritted surface for extra traction



**USE BUILT-IN CONNECTORS TO CREATE CUSTOM MATTING AREAS**

Build large matting areas, have the mats fit perfectly around machines and work stations. Make your matting fit your needs.




**Recommended Uses:**  
Industrial workstations exposed to heavy oil, grease, and petroleum-based chemicals. Bar, kitchen, and food processing areas.



**Standard Mat Sizes:**  
Nominal Metric  
3' x 3' 91 x 91 cm


**Beveled Edge Pieces:**  
Mats can be ordered with removable edging (black or yellow). Size: 3" x 39". Edging sold individually.

Specify:  
Yellow or Black - Male Connectors or  
Yellow or Black - Female Connectors



**2-SIDED CONNECTORS**

All Performa mats have connectors on two sides, making mats easy to join together to build larger matting areas in any direction.





## COUNTERTRED™

Heavy-duty "open slot" rubber drainage mat

- 1/2" Total Mat Thickness
- Multi-directional rib design provides great traction and comfort
- Manufactured with 50% recycled rubber content




**GENERAL PURPOSE**

### WORKSTEP BLACK

Perfect for most workstations such as: restaurants, cooking, dish washing, assembly lines, or anywhere water is present and traction is required

Spec. #300  
Item #39-378-0920-SIZE




**GREASE-RESISTANT**

### WORKSTEP RED

Excellent for workstations exposed to grease like: restaurants, assembly lines, or anywhere grease and water are present and traction is required

Spec. #305  
Item #39-378-0101-SIZE




**CUTTING FLUID-RESISTANT**

### WORKSTEP GRAYCFR

For workstations exposed to aggressive cutting fluids

Spec. #302  
Item #39-192-0700-SIZE




**GENERAL PURPOSE**

### WORKSTEP BLACK with GRIT

Perfect for industrial work cells, machine shops, assembly lines, or anywhere enhanced traction is required


Spec. #301  
Item #39-176-0920-SIZE



## WORKSTEP™


Lightweight rubber drainage mat for easy handling and cleaning

- 1/2" Total Mat Thickness
- All mats available with a gritted surface for extreme anti-slip performance
- Available in a grease-resistant red, general purpose black, or cutting fluid resistant gray
- Comfortable anti-fatigue design with beveled edges




### WORKSTEP™ with GRITTUFF™

GritTuff surface texture increases traction and reduces slipping



1" / 2" THICK



Spec. #340 Item #39-177-0900-SIZE



Custom Sizes:  
2', 3', and 4' widths  
up to 20' length


Standard Roll Sizes:

Nominal	Metric
2' x 20'	61 x 610 cm
3' x 20'	91 x 610 cm
4' x 20'	122 x 610 cm

**Recommended Uses:**  
Welding, heavy assembly, grating and catwalks.  
Counter Tred is ideal for machine shops and production areas where oil and solvents are present.




PermaWalk™ matting is perfect for sports arena runners



## PERMAWALK™

Durable non-porous rubber construction using 50% recycled rubber content

- 1/4" Total Mat Thickness
- Wide rib surface design is ideal for areas where fork lifts or cart wheels are used
- Spike, cleat, and skate-proof for athletic use
- Provides extra grip and comfort



1" / 4" THICK



Spec. #335 Item #39-175-0900-SIZE

**Recommended Uses:**  
Athletic arenas, hockey rinks, weight rooms, and industrial work stations. Horsebox trailers, ramps, and walkways.

Standard Mat Sizes:

Nominal	Metric
2' x 20'	61 x 610 cm
3' x 20'	91 x 610 cm




**Recommended Uses:**  
Bar/kitchen wet areas. Oily, greasy industrial workstations.

Standard Mat Sizes:

Nominal	Metric
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm
3' x 20'	91 x 610 cm





**Easy to Assemble** Built-in connectors allow for quick assembly.



## CREATE ANY SIZE AND SHAPE YOU NEED

Industrial modular tiles and edging let you create custom-sized mats and flooring to fit any workstation or room.



GridStep's great versatility makes our modular tile matting the ideal choice for many custom-built industrial and recreational applications.


### GRIDStep™ Two Options Available:

#### OPTION 1 Modular Design

- Case of 36 tiles (case lots only) • Optional 2.5" color-matching borders
- Purchase 12" x 12" interlocking tiles by the case, snap them together to create any size mat
- Special order 6" borders (call for availability)

#### OPTION 2 Pre-Assembled Workstations

- Call for details



#### Hold-Down Corner Holes

Allows screws to be used to secure mats to the floor (not on GridStep™ Solid)

**Black**

Item: 49-420-0900

#### Solid Deck Black


Item: 49-455-0900

The same tile composition as GridStep™ Standard but with a solid surface – providing a complete, elevated standing surface (available in black only)

## GRIDSTEP™


Modular tiles made from recycled plastics offer drainage and ease of installation, soft formulation provides added comfort and durability

- **3/4" Total Tile Thickness**
- New softer ergonomic formulation for added comfort
- Heavy-duty tiles and borders are made from recycled plastics
- Waffle-grid design allows fluid to pass through, creating a dry surface
- Snaps together to build larger working areas
- Tiles sold in two options – (1) 36 pc. case pack or (2) pre-assembled work cells
- For additional border and tile options (including special thicknesses) consult your Customer Service Representative




### Also available in GRIDSTEP™ Colors

- Color-matching borders available
  - More colors available
- \*Color tiles available in case quantities or custom configurations only. Not available in pre-assembled workstations.*



Red Item: 49-420-1100 | Light Gray Item: 49-420-1712 | Blue Item: 49-420-1500



**Recommended Uses:** Oily, greasy work cells. Bar and kitchen areas. Food processing work cells. Pools, locker and shower rooms, play grounds, and athletic facilities.

**Custom Configurations:** Create unique shapes to fit any workspace. Call for details.

**Standard Tile - Apache Spec. #350**  
**Solid Surface Tile - Apache Spec. #352**



# FOOD SERVICE

## SAFETY AND COMFORT

Our new line of kitchen mats includes additional styles of drainage mats for demanding kitchen environments where traction, drainage, and ease of handling is critical. We have expanded the line with more options for grease and oil resistance, and higher-end performance ratings.

Our mats come with textured surfaces for added traction on both sides, and our drainage mats can easily be cleaned with a hose, power washed, or rolled into the dishwasher for added convenience.



### WHY ANTI-SLIP?



#### 1. SAFER WORKPLACE


Water, oil, and other fluids abound in commercial kitchen environments. Elevating the worker off the floor promotes greater safety.

#### 2. HEALTHIER EMPLOYEES


Better standing comfort and traction keep your employees healthy.

#### 3. LOWER COSTS

A safer work environment reduces workman's comp claims, lost man hours, and slip & fall lawsuits. Preventing these unplanned and avoidable costs saves money now and in the future.



ERGONOMIC FOAM RUBBER



REVERSIBLE!


Red 0101

Black 0923

## FOAM RUBBER REVERSIBLE MAT **DYNAMIC FLOW™ NBR**

Popular food service mat with drainage holes that provides excellent traction for slippery floors

- 7/16" Total Mat Thickness
- Reversible design can be flipped over, extending it's usable life
- Grease-resistant nitrile foam rubber (NBR)
- Universal design for kitchens, soda stations, or entrance doors



Spec. #303 Item #39-394-COLOR-SIZE



#### Recommended Uses:

Restaurants, soda stations, outdoor entrances, factory and machine shops, outdoor pool areas, or anywhere traction is needed.




#### Standard Mat Sizes:

Nominal	Metric
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm
3' x 20'	91 x 610 cm




**2**  
STYLES  
FOR DIFFERENT  
APPLICATIONS


**GREASE-RESISTANT**  
**TRUTREAD™**  
BLACK  
Spec. #311 Item #39-171-0920




**GREASEPROOF**  
**TRUTREAD™**  
RED  
Spec. #312 Item #39-171-0101



**GENERAL PURPOSE**  
**PERFORMA™**  
BLACK  
Spec. #307  
Item #39-078-0101




**OIL/GREASE RESISTANT**  
**GREASE-RESISTANT**  
**PERFORMA™**  
RED  
Spec. #308  
Item #39-078-0101



**GREASEPROOF**  
**PERFORMA 100N™**  
Interlocking drainage mat with the highest level of oil and grease resistance, made of 100% nitrile

- 5/8" Total Mat Thickness
- Made from nitrile materials, mat is ideal for commercial kitchens exposed to oil and grease
- Can be cleaned in commercial dishwashers
- Nib backing elevates mat for improved drainage
- 2-sided connectors to create unique shapes




Spec. #321 Item #39-279-0923

**TRUTREAD™**

Heavy-duty thick rubber construction for wet, demanding environments

- 7/8" Total Mat Thickness
- Drainage holes allow liquids and waste to pass through matting
- Comfortable construction eases fatigue and increases productivity
- Available in a greaseproof red or grease-resistant black color
- Oil and grease-resistant



Recommended Uses:  
Bar and kitchen wet areas.  
Oily and greasy cooking stations.

**DON'T FORGET CONNECTORS**



**TRUTREAD™**  
**X-Connector**  
An easy way to join multiple TruTread mats together to cover large areas. Call for details.  
Item #39-272-0920

**PERFORMA™**

Popular kitchen anti-fatigue mat, easy to roll up and place in kitchen dishwashing machines

- 5/8" Total Mat Thickness
- Grease-resistant (red) or general purpose (black) for busy kitchen environments
- Modular drainage mat with one-sided built-in connectors
- Nib backing elevates mat for improved drainage
- Easy to connect and disconnect for handling and clean up



Standard Mat Sizes:

Nominal	Metric
3' x 5'	61 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457cm

Custom Configurations:  
Create unique shapes to fit any workspace. Call for details.




Recommended Uses: Bar, kitchen, and food processing areas. Industrial workstations exposed to heavy oil, grease, and petroleum-based chemicals.

Standard Mat Sizes:

Nominal	Metric
3' x 3'	91 x 91 cm

Custom Configurations:  
Create unique shapes to fit any workspace.







Red 1100  
Dark Brown 1408

# HONEYCOMB™ NBR

One of the most popular kitchen mats that combines grease-resistance, drainage, traction, and easy clean-up

- 1/2" Total Mat Thickness
- 100% nitrile rubber for enhanced grease resistance
- Lightweight and easy to handle, makes restaurant clean-up easier
- Drainage holes for added traction and easy clean-up
- Straight, narrow edges allow mats to be pushed together for a seamless flooring - no need for connectors, making clean-up fast and easy
- Available in two grease-resistant colors



Spec. #310  
Item #39-395-1100-30000400 (Red) Item #39-395-1408-30000400 (Dark Brown)



**Recommended Uses:**  
Bar, kitchen, and food processing areas. Industrial workstations exposed to heavy oil, grease, and petroleum-based chemicals.



Standard Mat Sizes:

Nominal	Metric
3' x 4'	91 x 122 cm



**GENERAL PURPOSE (BLACK)**  
Perfect for most workstations such as: restaurants, cooking, dish washing, assembly lines, or anywhere water is present and traction is required  
Spec. #300 Item #39-378-0920

**GREASE-RESISTANT (RED)**  
Excellent for workstations exposed to grease like: restaurants, assembly lines, or anywhere grease and water are present and traction is required  
Spec. #305 Item #39-378-0101




# WORKSTEP™

Lightweight rubber drainage mat for easy handling and cleaning



- 1/2" Total Mat Thickness
- Comfortable anti-fatigue design with beveled edges
- Available in a grease-resistant red and general purpose black
- All mats available with a gritted surface for extreme anti-slip performance



**Recommended Uses:**  
Bar and kitchen wet areas. Oily and greasy industrial workstations.

Standard Mat Sizes:

Nominal	Metric
3' x 5'	61 x 152 cm
3' x 10'	91 x 305 cm
3' x 15'	91 x 457 cm
3' x 20'	91 x 610 cm

**Custom Configurations:**  
Create unique shapes to fit any workspace. Call for details.





**SAFETY AND COMFORT**

Apache's industrial runners are manufactured from hard-wearing vinyl. Slip-resistant diamond plate or ribbed surface designs provide safety and comfort against cold concrete floors.



**DIAMOND™  
RUNNER**

Popular industrial diamond deckplate surface provides incredible traction


- Solid thick vinyl protects floors, reducing maintenance costs
- Ideal around workbench areas to protect fragile parts from damage
- Flexible 100% vinyl compound resists grease, oil, and common chemicals

Spec. #410

Item #39-265-0900-SIZE (Black)

Item #39-265-0700-SIZE (Gray)

Item #39-265-0903-SIZE (Black/Yellow)



**Recommended Uses:**  
Aisles and walkways where traction and warmth are desired.

**Standard Roll Sizes:**

Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

**Custom Sizes:**  
2', 3', and 4' widths up to 75' length



**TUFF FOOT™ RUNNER**


All-purpose vinyl runner matting provides traction and insulation from cold concrete floors

- Protects floors, reducing maintenance costs
- Flexible 100% vinyl compound resists grease, oil, and chemicals
- Available in corrugated or wide rib surface patterns for added safety

Spec. #400

Item #22-530-0900-SIZE (Corrugated)

Item #22-630-0900-SIZE (Wide Rib)




**Recommended Uses:**  
Aisles and walkways where traction and warmth are desired.

**Standard Roll Sizes:**

Nominal	Metric
2' x 105'	61 x 3200 cm
3' x 105'	91 x 3200 cm
4' x 105'	122 x 3200 cm

**Custom Sizes:**  
2', 3', and 4' widths up to 105' length

**2 Patterns Available:**



Black 0900

Gray 0700

Black/Yellow 0903


Anti-static and non-conductive matting helps keep employees safe and sensitive equipment free from static and other disruptive effects.

## CONDUCTIVE DIAMOND FOOT



Durable and long lasting static-dissipative anti-fatigue matting provides comfort and relief for aching feet and legs

- Conductive diamond surface removes static electricity from workers, preventing damage to sensitive electronic equipment and systems
- Durable vinyl surface bonded to resilient anti-fatigue closed-cell vinyl foam with beveled edges
- ESD Rating Range:  
EOS/ESD S7.1:  $1 \times 10^4 - 1 \times 10^6$  ohm  
(Not recommended for munitions facilities)
- Upon request, snaps installed on all standard mats
- Ask for custom configurations
- 15' Grounding Cord (optional)



### Recommended Uses:

Industrial work stations receptive to static electricity.

Spec. #600 Item #39-465-0900-SIZE

### Standard Mat Sizes:


Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm
3' x 10'	91 x 305 cm

### Standard Roll Sizes:

Nominal	Metric
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

### Custom Sizes:

3' and 4' widths up to 75' length



## SOFT FOOT APACHE STAT



Static-dissipative anti-fatigue mat with beveled edges for increased safety

- Ergonomic anti-fatigue mat provides comfort and relief for aching feet and legs
- RTT - 108 - 109 ohms, RTG - 108 - 109 ohms
- Can easily be cut to fit any work area
- Upon request, snaps will be installed on all standard mats




Spec. #500 Item #24-260-0700-SIZE

### 15' GROUNDING CORD (optional)

- Connects all ESD matting to a building's electrical ground through a snap placed on the corner of the mats
- One Mega ohm resistor floor mat dome cap



Item #59-104



### Recommended Uses:


High voltage work cells.

### Standard Mat Sizes:

Nominal	Metric
2' x 3'	61 x 91 cm
3' x 5'	91 x 152 cm

### Standard Roll Sizes:

Nominal	Metric
2' x 60'	61 x 2286 cm
3' x 60'	91 x 2286 cm



### Custom Sizes:

2' and 3' widths up to 60' length

## CONDUCTIVE DIAMOND RUNNER

Durable and long lasting static-dissipative matting

- Durable vinyl surface with slip-resistant diamond pattern
- Conductive diamond surface removes static electricity from workers, preventing damage to sensitive electronic equipment and systems
- ESD Rating Range:  
EOS/ESD S7.1:  $1 \times 10^4 - 1 \times 10^6$  ohm  
(Not recommended for munitions facilities)
- Upon request, snaps will be installed on all standard mats
- Ask for custom configurations



Spec. #605 Item #39-665-0900-SIZE

### Recommended Uses:


Industrial work stations receptive to static electricity.

### Standard Roll Sizes:

Nominal	Metric
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

### Custom Sizes:



3' and 4' widths up to 75' length



## NON-CONDUCTIVE SWITCHBOARD CORRUGATED

Extra-thick vinyl runner with corrugated surface for added traction

- Long-lasting 1/4" thick construction
- Protects workers from high voltage equipment
- Recommended maximum usage - 17,000 volts (VAC)
- Dielectric strength to 30,000 volts (VAC)



Spec. #700 Item #43-651-0900-SIZE

### Recommended Uses:


High voltage work cells.

### Standard Roll Sizes:

Nominal	Metric
2' x 75'	61 x 2286 cm
3' x 75'	91 x 2286 cm
4' x 75'	122 x 2286 cm

### Custom Sizes:

2', 3', and 4' widths up to 75' length



# INDOOR / OUTDOOR | ENTRANCE MATS

## TRACTION THAT MATTERS

Slips and falls are the most common work-related injuries. These accidents not only increase operational costs, but also contribute to indirect costs such as higher insurance rates and loss of productivity. Investing in proper matting that provides slip-resistant walking surfaces is the first line of defense against slip and fall-related expenditures.



## REDUCE DIRT, REDUCE COSTS

Apache mats minimize maintenance costs. Seventy percent of all dust, dirt, and floor-damaging soil found in commercial buildings has been tracked inside by people's shoes. A well-thought-out mat program can reduce maintenance and excessive cleaning costs by thousands of dollars yearly.

## RECYCLED MATERIALS AND ANTIMICROBIAL SOLUTIONS

Apache is leading the industry by using the highest levels of recycled content in our matting. In addition to being environmentally friendly, our new line of entrance mats come with antimicrobial protection.



## CARPETED ENTRANCE MATS ARE NOW AVAILABLE IN TILES!


ANTIMICROBIAL

### SANIGUARD® TILE AM

18" x 18" heavy duty carpet tiles with peel-n-stick backing





(SEE PAGES 6-7 FOR DETAILS)



## ECOMAT CROSSHATCH™

The ultimate environmentally-friendly entrance matting, Crosshatch is made from 95% recycled materials and offers excellent soil removal at an economical price


- Rubber-reinforced rib pattern prevents pile from crushing, extending product life
- Functional, non-directional design with fabric borders provides an upscale appearance with high-fashion appeal
- Molded rubber backing provides heft, durability, and double border design traps dirt and moisture away from indoor floors
- Polyester carpet provides excellent water absorption, fade resistance, and stain-resistance



Spec. #899 Item #60-461-COLOR-SIZE


Standard Mat Sizes:		
Nominal	Actual	Metric
2' x 3'	24" x 36"	62 x 93 cm
3' x 5'	36" x 60"	92 x 153 cm
4' x 6'	46" x 72"	118 x 183 cm

**Recommended Uses:**  
Medium to high-traffic indoor entrances like offices, retail stores, and restaurants.



Scrap Tires Saved: **1** Plastic Bottles Saved: **13**

With each 15 sq. ft. of Crosshatch matting made, one scrap tire and 13 plastic bottles are saved from entering landfills.



Pepper 1902

Gray 1702



Brown 1402

Navy 1501

## ABSORBA SELECT™

Classic commercial mat with a crush-resistant surface has been re-engineered with added weight for extra durability

- Rubber-reinforced surface nubs effectively remove dirt and moisture from shoes
- Long-lasting, phthalate-free rubber backing and border keeps moisture in the mat and away from indoor flooring
- Polypropylene needlepunch carpet is fade resistant and dries quickly
- Holds 1.5 gallons of water per square yard, keeping moisture and dirt from entering the building
- Extra heavy weight - 127 oz. per square yard
- California Prop 65 compliant, no labeling required



50%  
MORE WEIGHT  
THAN ORIGINAL  
ABSORBA



Original Absorba™ mat available in special colors and sizes. Call for updated pricing.

Spec. #1900 Item #76-036-COLOR-SIZE



**Recommended Uses:**  
Interior or exterior high-traffic areas such as commercial buildings, hotels, restaurants, schools, stores, and office buildings.

**Standard Mat Sizes:**

Nominal	Actual	Metric	Nominal	Actual	Metric
2' x 3'	24" x 36"	61 x 91 cm	3' x 10'	36" x 121"	91 x 307 cm
3' x 4'	36" x 48"	91 x 122 cm	4' x 6'	46" x 72"	117 x 183 cm
3' x 5'	36" x 60"	91 x 152 cm	4' x 10'	46" x 121"	117 x 307 cm

**Special Order Sizes:**

Nominal	Actual	Metric	Nominal	Actual	Metric
3' x 8'	36" x 91"	91 x 231 cm	4' x 12'	46" x 139"	117 x 353 cm
3' x 12'	36" x 135"	91 x 343 cm	4' x 16'	46" x 188"	117 x 477 cm
3' x 15'	36" x 171"	91 x 434 cm	4' x 20'	46" x 237"	117 x 602 cm
3' x 20'	36" x 237"	91 x 602 cm	6' x 8'	72" x 87"	183 x 221 cm



Additional special order sizes available. Call for details.

All Special Order mats are SEAMED.

## GATEKEEPER SELECT™

Attractive tufted carpet, reinforced with phthalate-free rubber to provide a crush-resistant scraping surface

- Re-engineered with added weight - 127 oz. per square yard - for extra durability
- Tufted Olefin carpet in rich, heathered colors is perfect for upscale entryways
- Resists fading and dries quickly
- Holds 1.5 gallons of water per square yard, keeping moisture and dirt from entering the building
- California Prop 65 compliant, no labeling required



50%  
MORE WEIGHT  
THAN ORIGINAL  
GATEKEEPER



Spec. #2900 Item #76-081-COLOR-SIZE

**Standard Mat Sizes:**

Nominal	Actual	Metric	Nominal	Actual	Metric
2' x 3'	24" x 36"	61 x 91 cm	3' x 10'	36" x 120"	91 x 305 cm
3' x 4'	36" x 48"	91 x 122 cm	4' x 6'	46" x 72"	117 x 183 cm
3' x 5'	36" x 60"	91 x 152 cm	4' x 10'	46" x 120"	117 x 305 cm

**Special Order Sizes:**

Nominal	Actual	Metric	Nominal	Actual	Metric
3' x 8'	36" x 93"	91 x 231 cm	4' x 12'	46" x 141"	117 x 358 cm
3' x 12'	36" x 138"	91 x 350 cm	4' x 16'	46" x 190"	117 x 483 cm
3' x 15'	36" x 178"	91 x 452 cm	4' x 20'	46" x 238"	117 x 605 cm
3' x 20'	36" x 238"	91 x 605 cm	6' x 8'	72" x 89"	183 x 226 cm

Additional special order sizes available. Call for details.


All Special Order mats are SEAMED.



**Recommended Uses:**  
Interior or exterior high-traffic areas such as commercial buildings, hotels, restaurants, schools, stores, and office buildings.

Walnut 1403

Navy 1501



Charcoal 1701

Blue 1505

Walnut 1403

Gray 1702 - shown with heavy-duty edging

Anthracite 1901

Steel 1718

Denim 1516

Tobacco 1421

Sisal 1436

ANTIMICROBIAL

# SANIGUARD GRAND BERBER™ AM 44oz.

Designed to withstand the heaviest traffic areas, perfect for oversized foyers and entrances where one mat is required versus multiple individual mats

- 44 oz. contractor-quality hobnail carpet is virtually indestructible
- New coarse fiber system** for excellent soil removal
- Highest water retention
- Solution-dyed PET fiber for maximum stain and UV resistance
- Class 1 Rating for National Fire Protection Association (NFPA) 101 Classification
- Non-slip vinyl backing

**Recommended Uses:** Heaviest traffic areas like shopping malls, convention centers, airports, train stations, schools, office buildings, restaurants, and healthcare facilities.





# GRAND BERBER™ EDGE AM 44oz.

Spec. #1408 Item #55-547-COLOR-SIZE



- For extra border protection in high-traffic areas, Grand Berber is available with heavy-duty edging. Borders are glued and stitched for maximum durability.
- Borders extend product life significantly. Borders backed by a 2-year limited warranty.



### GRAND BERBER BEATS THE COMPETITION!

Wear Resistance ASTM TABOR TEST	<b>GRAND BERBER - 2400 Cycles</b>	COMPETITOR - 1900 Cycles
Soil Removal ASTM SOIL TEST	<b>GRAND BERBER - 375 Composite Score</b>	COMPETITOR - 145 Score
Moisture Removal AATC TEST METHOD	<b>GRAND BERBER - 870 Composite Score</b>	COMPETITOR - 720 Composite Score

	GRAND BERBER	COMPETITOR
Fiber Construction	44oz. PET Polyester	44oz. Polypropylene
Critical Radiant Flux	Class 1	Class 2

Professional Testing Laboratories - 2020



# MAXIMA™ EDGE 54oz.

AVAILABLE WITHOUT EDGING - CALL FOR DETAILS

Our top-of-the-line commercial matting for maximum durability and performance



- 54 oz. coarse polypropylene fiber offers outstanding scraping action and durability, total product weight 78 oz./sq. yd.
- Distinctive hobnail pattern withstands highest traffic areas
- Solution-dyed UV stabilized needlepunch carpet has superior stain resistance and colorfastness
- Premium composite rubber backing with heavy-duty vinyl edging for ultimate edged protection, borders are glued and stitched for maximum durability
- 36 COLORS AVAILABLE!** on all Maxima mats (call Apache for details)



Spec. #1011 Item #39-148-COLOR-SIZE

# MAXIMA™ EDGE LOGO

Logo matting can be used in many retail settings in addition to lobbies, foyers, and entryways

Use any of our 36 carpet colors to customize your mat!



Spec. #1401 Item #55-545-COLOR-SIZE



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length

Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 8'	86 x 241 cm
3' x 5'	86 x 147 cm	4' x 6'	122 x 172 cm
3' x 6'	86 x 147 cm	4' x 8'	122 x 241 cm
		4' x 10'	122 x 307 cm

Nominal Metric

Nominal	Metric	Nominal	Metric
6' x 6'	183 x 183 cm	6' x 8'	183 x 244 cm
6' x 12'	183 x 305 cm	6' x 20'	183 x 610 cm

Custom Sizes:

Widths up to 3', 4', and 6' widths up to 60' length

Custom Configurations:

We can create many shapes and sizes. Call for details.





ANTIMICROBIAL

**SANIGUARD DEFENDER™ AM 28oz.**

Heavyweight, antimicrobial, and eco-friendly, the Defender is the perfect choice for today's high-traffic commercial areas

- 28 oz. commercial-grade carpet offers excellent soil removal and water retention
- **New coarse fiber system** for excellent scraping
- Solution-dyed PET fiber for maximum stain and UV resistance
- Attractive chevron pattern offers non-directional scraping action
- Slip-resistant vinyl backing

Recommended Uses: High-traffic indoor entrances.



Spec. #1402 Item #55-544-COLOR-SIZE



56%

MORE FIBER WEIGHT THAN CHEVRON RIB

THE **SANIGUARD** ADVANTAGE


- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 20 plastic bottles/sq. yd.

**CHEVRON RIB™**

Attractive herringbone-pattern needlepunch carpet cleans shoes in any direction

- Ribbed coarse fiber carpet surface provides great scraping action and moisture retention
- Bi-level carpet construction traps and hides dirt in recessed channels
- Stain and fade-resistant needlepunch carpet
- Slip-resistant vinyl backing

Recommended Uses: Medium to high-traffic indoor entrances.



Spec. #1002 Item #01-435-COLOR-SIZE



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length

Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	3' x 10'	91 x 305 cm
3' x 4'	91 x 122 cm	4' x 6'	122 x 183 cm
3' x 5'	91 x 152 cm	4' x 8'	122 x 244 cm
3' x 6'	91 x 183 cm		


Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length





Pepper 1902

Blue 1505

Brown 1410

Gray 1702

Moss Green 1203

Pepper 1902

Cocoa Brown 1410

Williamsburg Blue 1505

Solid Gray 1702

Russet Red 1105

ANTIMICROBIAL

SANIGUARD PROTECTOR™ AM 24oz.

Traditional double-rib pattern in a heavyweight construction packaged with high-end features, offers maximum value

- 24 oz. heavyweight carpet offer excellent soil removal and water retention
- Solution-dyed UV stabilized PET fiber is highly stain-resistant
- **New coarse fiber system** for excellent scraping
- Slip-resistant vinyl backing



Recommended Uses: Medium to high-traffic indoor entrances and walkways.

Spec. #1403 Item #55-543-COLOR-SIZE



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length

Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length




50%

MORE FIBER WEIGHT THAN APACHE RIB

THE SANIGUARD ADVANTAGE

- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 18 plastic bottles/sq. yd.




APACHE RIB™

Top-selling commercial mat provides good performance at a value price


- Popular rib construction traps dirt and moisture in recessed channels
- Stain and fade-resistant needlepunch carpet
- Slip-resistant vinyl backing

Recommended Uses: Medium to high-traffic indoor entrances.



Spec. #1001 Item #01-033-COLOR-SIZE





ANTIMICROBIAL

# SANIGUARD STANDARD TUFF™ AM 15oz.

Plush carpet with crisp and clean edge appearance - now packed with antimicrobial protection

- 15 oz. plush Dilour needlepunch carpet
- Solution-dyed UV stabilized PET fiber is highly stain-resistant
- Does not peel and shed like traditional tufted plush carpets
- Slip-resistant vinyl backing



Recommended Uses: Medium to high-traffic indoor entrances and walkways.


87%

MORE FIBER WEIGHT THAN STANDARD TUFF OLEFIN

PLUSH PET FIBERS FOR EXCELLENT SOIL REMOVAL AND WATER RETENTION

## THE SANIGUARD ADVANTAGE

- ✓ **EPA-APPROVED** - Antimicrobial additive used in floor coverings
- ✓ **ANTIMICROBIAL FIBER TECHNOLOGY** - Reduces odor and prevents growth of bacteria, mold, and mildew
- ✓ **ECO-FRIENDLY PET FIBERS** - Made from 12 plastic bottles/sq. yd.




Spec. #1404 Item #55-546-COLOR-SIZE



# STANDARD TUFF™ OLEFIN

Classic Olefin mat with a plush scraping surface is a popular and economical choice for entrance matting in moderate traffic environments

- Tufted cut-pile construction retains moisture and dries quickly
- Stain and fade-resistant carpet surface
- Slip-resistant vinyl backing



Recommended Uses: Medium to high-traffic indoor entrances.

Spec. #1017 Item #01-031-COLOR-SIZE



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	60 x 86 cm	3' x 10'	86 x 302 cm
3' x 4'	86 x 116 cm	4' x 6'	114 x 172 cm
3' x 5'	86 x 147 cm	4' x 8'	114 x 241 cm
3' x 6'	86 x 147 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1828 cm
4' x 60'	121 x 1828 cm
6' x 60'	182 x 1828 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length



Standard Mat Sizes:

Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	3' x 10'	91 x 305 cm
3' x 4'	91 x 122 cm	4' x 6'	122 x 183 cm
3' x 5'	91 x 152 cm	4' x 8'	122 x 244 cm
3' x 6'	91 x 183 cm		

Standard Roll Sizes:

Nominal	Metric
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm
6' x 60'	183 x 1829 cm

Custom Sizes:

3', 4', and 6' widths up to 60' length





Charcoal Gray 5701 | Slate Gray 1707 | Walnut 5401 | Indigo Blue 1506 | Regal Red 5100




Charcoal 1701 | Navy Blue 1501 | Hunter Green 1210 | Burgundy 1102

## APACHE GRIP™

High-performance nylon surface with a durable nitrile rubber backing for high-traffic areas like grocery stores and hotels

- Heat-set and twisted nylon yarn traps dirt and moisture, and resists matting down
- Solution-dyed plush nylon pile for outstanding construction and colorfastness
- 100% Nitrile rubber backing with cleats to minimize movement
- Machine-washable commercial mat, can also be vacuumed and extraction cleaned



Recommended Uses: High traffic areas such as entrances, grocery stores, hotels, and offices.


Spec. #1014 Item #72-011-COLOR-SIZE



## CLEANLOOP™

Classic commercial construction prevents dirt and moisture from entering the building

- Indoor entrance mat engineered for fine cleaning and drying action
- Level loop Olefin construction provides stand-alone performance for any entrance or hallway
- Slip-resistant vinyl backing



Recommended Uses: Medium to high-traffic indoor entrances like offices, retail stores, and restaurants.

Spec. #1007 Item #01-056-COLOR-SIZE



**Standard Mat Sizes:**

Nominal	Actual	Metric	Nominal	Actual	Metric
2' x 3'	24" x 34"	60 x 86 cm	3' x 10'	34" x 119"	86 x 302 cm
3' x 4'	34" x 46"	86 x 116 cm	4' x 6'	45" x 68"	114 x 173 cm
3' x 5'	34" x 58"	86 x 147 cm	4' x 8'	45" x 95"	114 x 241 cm

**Custom Sizes:**

3' and 4' widths up to 20' length  
Actual widths: 3' = 34" and 4' = 45"

**Standard Mat Sizes:**

Nominal	Metric	Nominal	Metric
2' x 3'	61 x 91 cm	3' x 6'	91 x 183 cm
3' x 4'	91 x 122 cm	3' x 10'	91 x 305 cm
3' x 5'	91 x 152 cm	4' x 6'	122 x 183 cm
		4' x 8'	122 x 244 cm

**Standard Roll Sizes:**

Nominal	Metric
3' x 60'	91 x 1829 cm
4' x 60'	122 x 1829 cm

**Custom Sizes:**

3' and 4' widths up to 60' length




## IN-STYLE™ LOGO MATS

Create an attractive and welcoming indoor business entrance with these inkjet-printed logo mats

- Nylon heat-set, twisted fibers provide scraping and water absorption
- Durable 100% nitrile rubber backing with cleats to minimize mat movement
- Superior stain resistance and colorfastness
- Up to 8 color prints, choose from 186 colors
- No artwork or set-up charges

Call for details and pricing



COLORFUL MATS CREATE A MORE DRAMATIC ENTRANCE!



Spec. #1060  
Item #99-DESIGN NUMBER-SIZE

Recommended Uses:  
High-traffic indoor entrances.



## 5 EASY STEPS

FOR A CUSTOM LOGO MAT

1. Customer submits a digital art file.
2. We'll match the artwork to our color bank.
3. We'll send a proof for customer approval.
4. Customer signs off on proof.
5. We process the order and make the mat.



Standard Mat Sizes:

Nominal	Actual	Metric
3' x 4'	33" x 45"	84 x 114 cm
3' x 5'	33" x 57"	84 x 145 cm
3' x 10'	33" x 115"	84 x 292 cm
4' x 6'	45" x 68"	114 x 173 cm

Special Order Sizes:

Nominal	Actual	Metric
2' x 3'	22" x 33"	66 x 84 cm
3' x 6'	33" x 68"	84 x 173 cm
4' x 8'	45" x 91"	114 x 231 cm
4' x 10'	45" x 115"	114 x 292 cm
4' x 12'	45" x 139"	114 x 353 cm

Nominal	Actual	Metric
5' x 8'	57" x 91"	145 x 231 cm
5' x 10'	57" x 115"	145 x 292 cm
5' x 12'	57" x 139"	145 x 353 cm
5' x 20'	57" x 230"	145 x 584 cm


Custom Sizes:  
2', 3', 4', and 5' widths up to 24' length  
Actual widths:  
2' = 22", 3' = 33",  
4' = 45", 5' = 57"

## FASHIONABLES DELUXE

## GERM AWARENESS MATS

Low-profile, heavy-duty floor mats promote health awareness

- Large 24" x 36" floor mats
- Message mats with decorative, fashionable designs
- Made in the USA from 95% recycled materials
- The non-slip carpet surface is made from plastic bottles and molded to a durable recycled rubber backing
- The carpet surface traps dirt and moisture



Precautions - Gray / Teal  
Item #39-845-2881-02400036

## A FLOOR MAT WITH A MESSAGE!

Unlike decals, this is a real floor mat that scrapes shoes clean or absorbs water in front of a sink



Wash Your Hands - Blue  
Item #39-845-2882-02400036



STOP Sign - Wash Your Hands  
Item #39-845-2883-02400036



Wear A Mask - Red  
Item #39-845-2884-02400036

Recommended Uses: Indoor or outdoor use. Ideal for entrances, restrooms, or anywhere a reminder is needed.

Standard Mat Sizes:

Nominal	Metric
24" x 36"	60 x 91 cm



FASHIONABLES DELUXE

# CUSTOM LOGO MATS

Our custom floor mat program allows for photo-like images with stunning details, the ideal mat for custom logos, special messages, and promotion and premium incentive programs


- Size: 24" x 36"
- Durable recycled rubber backing
- High-definition, ultra-sharp mats printed at 300 DPI for best-in-the-industry print quality
- Made in the USA from 95% recycled materials
- The non-slip carpet surface is made from plastic bottles and molded to a durable recycled rubber backing

**CUSTOM ORDER MATTING WITHOUT THE PREMIUM PRICE!**


Item #39-845-0001-02400036



Your message on stock diamond plate background (option #1)



Sample of your full-color custom artwork (option #2)



Sample of your full-color custom artwork (option #2)



Your message on stock black wood background (option #1)




Sample of your full-color custom artwork (option #2)

## 2 WAYS TO CREATE CUSTOM MATS:

1

### YOUR MESSAGE ON STOCK BACKGROUND

Custom message printed on any one of six standard background textures



2

### CUSTOM FULL COLOR ARTWORK

Print any artwork: logos, full-color photos, business cards, and more



Scan QR code for additional information (artwork requirements, file format, etc.)



Call your Apache representative for details. Apache Mills will not print offensive images or logos that violate copyright laws.

# OUTDOOR | ENTRANCE MATS

## MAKE A CLEAN FIRST IMPRESSION!

Apache outdoor entrance mats are designed to remove the first wave of heavy debris from the bottom of shoes and reduce the risk of slips and falls due to slippery floors. Functional designs in durable rubber constructions are built to withstand the harshest weather environments. Our comprehensive offerings cover all outdoor applications.

## KEEP DIRT OUTSIDE WHERE IT BELONGS

Our outdoor matting reduces maintenance costs. Most dust, dirt, and floor-damaging soil found in commercial buildings is tracked inside by people's shoes. With Apache outdoor mats, the dirt stops at the door!



### RECYCLED MATERIALS IN OUR MATS - NOT IN OUR LANDFILLS

Apache outdoor mats are manufactured with high levels of recycled materials, making our mats cost-effective and environmentally friendly - without sacrificing performance or durability.





## MEGASCRAPER™

This heavyweight champion offers best-in-class scraping performance in outdoor matting

- Supersized denier fiber allows mat to quickly drain and dry
- Thick molded ribs with rigid scraping fibers
- Heavyweight recycled rubber backing
- Monofilament fiber is stain and fade resistant
- Ideal for all climates - provides traction even when wet

COARSE GRASS FIBERS PROVIDE AMAZING SCRAPING



Spec. #902 Item #60-621-COLOR-SIZE



**Recommended Uses:**  
Great for golf courses, ski resorts, and uncovered entryways.

**Standard Mat Sizes:**


	Nominal	Actual	Metric
3' x 5'	36" x 60"	91 x 152 cm	
4' x 6'	48" x 72"	121 x 183 cm	



# TROOPER™

Classic finger tip construction provides outstanding cleaning action and anti-slip performance

- Functional rubber construction with beveled edges for added safety
- Easy to keep clean, just shake or hose off
- Made from 60% recycled rubber materials



**Recommended Uses:**

Medium to high-traffic outdoor entrances – ideal mat for snow and mud conditions.

Spec. #345 Item #39-372-0900-SIZE

**Standard Mat Sizes:**

Actual		Metric	
24" x 32"	61 x 81 cm	36" x 60"	91 x 152 cm
32" x 39"	81 x 99 cm	36" x 72"	91 x 183 cm



# SUPERGRIP™

Our most popular rubber entrance mat provides great shoe scraping performance, durability, and weather resistance

- Low-profile rib construction clears entrance doors
- Environmentally-friendly rubber compound uses 60% recycled materials



**Recommended Uses:**

Busy outdoor entrances.

**Standard Mat Sizes:**

Nominal	Actual	Metric
3' x 5'	34" x 55"	86 x 140 cm
4' x 6'	44" x 67"	112 x 170 cm


Spec. #330 Item #79-376-0900-SIZE



# AQUAFLOW™

Dual wiper blade and nib construction provides outstanding cleaning action and anti-slip performance

- Flow-through drainage mat keeps dirt and moisture off of the mat for a clean appearance
- Extremely easy to keep clean, just shake or hose off
- Made from 60% recycled rubber materials



**Recommended Uses:**

Outdoor high-traffic entrance areas such as ski resorts and other recreational facilities exposed to snow and mud conditions.

**Standard Mat Sizes:**

Actual	Metric
32" x 39"	81 x 99 cm
36" x 59"	91 x 150 cm


Spec. #360 Item #39-392-0900-SIZE



# ECOMAT MISSION™

Durable recycled rubber outdoor mat, made using 96% recycled materials

- Popular parquet pattern provides multi-directional cleaning performance
- Extremely easy to keep clean, just shake or hose off



**Recommended Uses:**

Medium to high-traffic outdoor areas.

**Standard Mat Sizes:**

Nominal	Actual	Metric
2' x 3'	24" x 36"	61 x 91 cm
3' x 5'	36" x 60"	91 x 152 cm
4' x 6'	48" x 72"	122 x 183 cm

Spec. #1012 Item #78-060-0900-SIZE



Add style and comfort to your small business. Ideal for single door entries, eating areas, standing work stations, and more.

## ENTRY MATS

Dress up your business entrance with our colorful and stylish Boutique Collection of outdoor entrance mats

**Mega Scraper:** Grass fiber surface molded to a recycled rubber base


**Soho:** Heavy-duty crumb rubber mats with a decorative woven printed surface



**MegaScraper** - Geo Woodcut Charcoal (24" x 36")  
Item No: 60-629-2495-02400036



**MegaScraper** - Bricks Mahogany (24" x 36")  
Item No: 60-623-1423-20000300



**Soho** - Welcome Tropic ZigZag (24" x 36")  
Item No: 60-662-2201-02400036



**Soho** - Quatrefoil (24" x 36")  
Item No: 60-662-2202-02400036



**Soho** - Welcome (24" x 36")  
Item No: 60-662-2203-02400036




**Soho** - Medallions (24" x 36")  
Item No: 60-662-2204-02400036

## KITCHEN/CAFETERIA MATS

Add style and comfort to your company break room, eating area, or standing workstation

**Cushion Comfort:** Printed surface designs on 5/16" thick vinyl foam



**Cushion Comfort** - Rough Linen (20" x 39")  
Item No: 60-122-2201-02000039



**Cushion Comfort** - Navi Stripes (20" x 39")  
Item No: 60-122-2203-02000039




**Cushion Comfort** - Good Coffee, Good Mood, Good Day (20" x 39")  
Item No: 60-122-2202-02000039



**Cushion Comfort** - Gravity (20" x 39")  
Item No: 60-122-2204-02000039



**Cushion Comfort** - With Coffee Anything is Possible (20" x 39")  
Item No: 60-122-2206-02000039



**Cushion Comfort** - Deco Tear Drops (20" x 39")  
Item No: 60-122-2205-02000039



SCAN QR CODE FOR ADDITIONAL DESIGNS

Boutique Collection designs are updated periodically. Scan QR code for current offerings.



SCAN QR CODE FOR ADDITIONAL DESIGNS

Boutique Collection designs are updated periodically. Scan QR code for current offerings.

## LOCKER BUDDY™ BOOT TRAY

Molded heavy-duty plastic tray with popular deckplate surface design



- Durable molded plastic boot trays help promote cleanliness in the workplace
- Placing work shoes or boots in tray helps keep debris, dirt, and dust away from floors
- Decreases expensive floor maintenance costs
- Side tray handles make for easier and cleaner transport of the boot tray



Item #60-219-2800-01500030 (8 pack)

Recommended Uses:  
Entry areas, foyers,  
factories, businesses.



Standard Mat Size:

Nominal	Metric
15" x 30"	38 x 76 cm



## APACHE ADHESIVE

- Adhesive for Apache nosing
- Sold by the quart

Item No: 90-992



## APACHE NOSING

- Glue onto carpet mats to strengthen edges for high-traffic areas
- Black, high-quality PVC nosing
- Sold in 2-pack 50' rolls

Item No: 90-991

## APACHELOK II

- 1" wide peel-and-stick tape with interlocking "teeth" helps vinyl matting stay in place on carpet

- Sold by the linear foot

Item No: 90-990

## GROUNDING SNAP

Snap can be added to ESD matting to accommodate Grounding Cord

Item No: 59-102



## 15' GROUNDING CORD

- Connects all ESD matting to a building's electrical ground through a snap placed on the corner of the mats


- One Mega ohm resistor floor mat dome cap

Item No: 59-104



# MAT PLACEMENT GUIDE

This guide suggests typical mat placement throughout retail stores, offices, or manufacturing facilities. Use this guide to help coordinate your matting needs with your particular facility. The number(s) listed show the best use of each Apache mat.



### PRODUCT USE AREA

#### INDOOR ENTRANCE

SaniGuard Grand Berber	1,2,3
SaniGuard Defender	1,2,3
SaniGuard Protector	1,2,3
SaniGuard Standard Tuff	1,2,3
EcoMat Crosshatch	1,2,3
Absorba Select	1,2,3
Gatekeeper Select	1,2,3
Maxima Select	1,2,3
Chevron Rib	1,2,3
Apache Rib	1,2,3
Standard Tuff Olefin	1,2,3
Apache Grip	1,2,3
Clean Loop	1,2,3

#### LOGO MATS / GERM AWARENESS

In Style	1,2
Custom Logo Mats	1,2
Germ Awareness Mats	15,18

#### OUTDOOR ENTRANCE

MegaScraper	1
Trooper	1

### PRODUCT USE AREA

Aqua Flow	1
Super Grip	1
EcoMat Mission	1

#### INDUSTRIAL DRY

Supreme Slip Tech	4,10,12,16
Diamond Foot	4,10,12,16
Diamond Star	4,10,12,16
Invigorator	4,10,12,16
K-Marble Foot	4,10,12,16
Armor Step	4,10,12,16
Bubble Flex	4,10,12,16
Weldmaster	11
Soft Foot	4,10,12,16
Dmd Dlx Soft Foot AM	4,10,12,16
Standing Desk Mat	4,5
Autoclavable AP Mat	15,16,20

#### INDUSTRIAL WET

TruTread	6,9,12
Performa 100N	6,9,12
Performa	6,9,12,14
WorkStep	6,9,14

### PRODUCT USE AREA

Dynamic Flow NBR	6,9,14
Honeycomb NBR	6,9,14

#### INDUSTRIAL RUNNER

Diamond Runner	10,12,13,16
Soft Foot Runner	10,12
CounterTred	14
PermaWalk	14

#### MODULAR TILES

GridStep	6,9,12,16
SaniGuard Tiles	2

#### ANTI-STATIC & NON-CONDUCTIVE

Conductive Diamond Foot	9,16,17
ApacheStat Soft Foot	9,16,17
Conductive Diamond Runner	9,16,17
Switchboard Corrugated	9,16,17

#### OTHER

Splatter Guard Urinal Mat	14
Tacky Mat	14
Boutique Entrance Mats	1,3
Cushion Comfort Mats	4,7

# PERFORMANCE CHART

Note: 10 is our highest performance rating

SANIGUARD	Scraping	Water Retention	Wear Resistance
SANIGUARD Tile	9	9	9
SANIGUARD Fingertip	10	9	9
SANIGUARD Grand Berber AM	10	10	9
SANIGUARD Grand Berber Edge AM	10	10	10
SANIGUARD Defender AM	8	8	8
SANIGUARD Protector AM	8	7	8
SANIGUARD Standard Tuff	7	8	8

	Anti-Fatigue	Surface Traction	Wear Resistance
SANIGUARD Diamond Deluxe AM 1/2"	7	7	7
SANIGUARD Acupressure Mat	8	10	10

INDUSTRIAL DRY	Anti-Fatigue	Surface Traction	Wear Resistance
Supreme SlipTech 11/16	10	10	10
Diamond Foot 9/16"	8	9	9
Supreme Diamond Foot 11/16"	9	9	9
Ultimate Diamond Foot 15/16"	10	9	9
Diamond Star 9/16"	7	9	9
Supreme Diamond Star 11/16"	8	9	9
Ultimate Diamond Star 15/16"	9	9	9
Invigorator 1/2"	7	8	8
K-Marble 1/2"	7	7	9
Ultimate K-Marble 7/8"	9	7	9
ArmorStep 1/2"	7	8	8
BubbleFlex 1/2"	6	7	9
Weldmaster 1/2"	8	8	8
Soft Foot 3/8"	6	7	6
Supreme Soft Foot 5/8"	7	7	7
Safety SoftFoot 3/8"	6	7	6
Safety SoftFoot w/ DuraShield 3/8"	6	7	7
Diamond Deluxe SoftFoot 1/2"	7	7	7

PERSONAL OPERATING PADS	Anti-Fatigue	Surface Traction	Wear Resistance
Standing Desk Mat 1¾"	10	8	9
KneeSaver	10	8	9

INDUSTRIAL WET / DRY	Anti-Fatigue	Surface Traction	Wear Resistance
TruTread Black 7/8"	8	9	10
TruTread Safety 7/8"	8	9	10
TruTread Red 7/8"	8	9	10
TruTread Grit 7/8"	8	10	10
Performa 100N 5/8"	7	8	9
Performa 100N Grit 5/8"	7	10	9
Performa 100N Solid Deck 5/8"	7	8	9
Performa 100N Sld Deck Grit 5/8"	7	10	10
Performa General Prpse Blck 5/8"	7	8	7
Performa Grit 5/8"	7	10	8
Performa Solid Deck 5/8"	7	8	7
Performa Solid Deck Grit 5/8"	7	10	8
Performa Grease Resist Red 5/8"	7	8	8
Performa CFR 5/8"	7	8	9
WorkStep General Purpose Black 1/2"	6	7	7

INDUSTRIAL WET / DRY	Anti-Fatigue	Surface Traction	Wear Resistance
WorkStep Grease Resistant Red 1/2"	6	7	8
WorkStep (CFR) 1/2"	6	7	8
WorkStep with Grit 1/2"	6	10	9
Counter Tread 1/2"	6	9	10
Perma Walk 1/4"	4	9	10

FOOD SERVICE	Anti-Fatigue	Surface Traction	Wear Resistance
Reversible Dynamic Flow NBR 1/2"	8	8	9
TruTread Black/Safety 7/8"	8	9	10
TruTread Red 7/8"	8	9	10
Performa General Purpose Black 5/8"	7	8	7
Performa Grease Resistant Red 5/8"	7	8	8
Performa 100N 5/8"	7	8	9
Honeycomb NBR 1/2"	6	8	9

MODULAR TILES	Anti-Fatigue	Surface Traction	Wear Resistance
GridStep 3/4"	6	8	10


MODULAR TILES	Scraping	Water Retention	Wear Resistance
SANIGUARD Tile	9	9	9


INDUSTRIAL RUNNERS	Anti-Fatigue	Surface Traction	Wear Resistance
Diamond Runner 3/16"	3	9	9
Tuff Foot Runner 1/8"	2	8	8
Conductive Diamond Foot 9/16"	8	9	9
Soft Foot Apache Stat 3/18"	6	7	6
Conductive Diamond Runner 5/32"	N/A	9	9
Non-Conductive Switchboard 1/4"	N/A	8	9


INDOOR/OUTDOOR ENTRANCE	Scraping	Water Retention	Wear Resistance
FashionScrapper	8	9	9
Absorba Select	8	9	9
GateKeeper Select	8	9	9
SANIGUARD Grand Berber AM	10	10	9
SANIGUARD Grand Berber Edge AM	10	10	10
Maxima Edge	10	10	10
SANIGUARD Defender AM	8	8	8
Chevron Rib	7	7	7
SANIGUARD Protector AM	8	7	8
Apache Rib	7	6	6
SANIGUARD Standard Tuff	7	8	8
Plush Tuff	6	7	7
Standard Tuff	5	6	6
Clean Loop	6	7	7
Apache Grip	6	8	8
In-Style Logo Mats	6	8	8

OUTDOOR ENTRANCE			
Mega Scrapper	10	4	7
Trooper	9	-	7
AquaFlow	9	-	8
SuperGrip	9	-	9
Ecomat Mission	8	-	8

## WARRANTY INFORMATION

**Limited Lifetime Warranty**  
 For complete warranty policy, see price list or contact your sales representative.

**5 YEAR 5-Year Limited Warranty**  
 For complete warranty policy, see price list or contact your sales representative.

**2 YEAR 2-Year Limited Warranty**  
 For complete warranty policy, see price list or contact your sales representative.

# CHEMICAL RESISTANCE CHART

KEY: 1 = Recommended 2 = Slightly Affected 3 = Affected 4 = Not Recommended

Chemical	PVC	Natural Rubber/SBR	Nitrile	CFR
Acetone	4	3	4	4
Animal Fats	3	4	1	4
Bleach Solution	2	3	2	3
Boric Acid	1	1	1	1
Brake Fluid	2	3	1	3
Brake Fluid (Silicon based)	2	2	1	1
Chlorine Solution	2	3	1	3
Citric Acid	3	4	1	4
Cutting Fluid	2	3	2	2
Diesel Oil	2	4	1	4
Ethylene Acetate	4	4	4	4
Ethylene Glycol	1	1	1	1
Gasoline	2	3	3	3
Hydraulic Oil	2	3	1	3
Hydrochloric Acid Cole	3	2	3	2
Isopropyl Alcohol	1	1	2	2
Lacquer Solvents	4	4	4	4
Lindol	4	4	4	4
MEK	4	4	4	4
Mineral Oil	2	4	1	1
Naptha	4	4	4	4
Napthlene	4	4	4	4
Petroleum	2	3	3	3
Salt Water	2	3	1	2
Toluene	4	4	4	4
Transmission Fluid (Type A)	1	4	2	3
Trichloroethane	4	4	4	4
Vegetable Oil	2	3	1	3

Supreme SlipTech™	Fingertip Sanitizing	Acupressure	Performa™ CFR
Diamond Foot™	Bubble-Flex™	TruTread™ Red	Workstep™ CFR
Diamond Star™	WeldMaster™	Performa™ 100N	
Invigorator™	TruTread™ Black	Performa™ Red	
K-Marble™	Performa™ Black	Work Step™ Red	
Armor Step™	Work Step™ Black	Dynamic Flow NBR	
Soft Foot™	Trooper™	Honeycomb™ NBR	
Grid Step™	SuperGrip™		
Diamond™ Runner	AquaFlow™		
Tuff Foot™ Runner			
Switchboard™			
Corrugated			

\*Ratings based on top surface only. \*\*Chemical chart based on moderate solution ratio.

Use of this chemical chart is meant as a general guide. Results may vary depending on concentration of chemicals. Please consult your sales professional for a free sample piece to test your specific chemicals on site to choose proper matting.





197 Royal Drive, Calhoun, GA 30701 / Mailing Address: P.O. Box 907, Calhoun, GA 30703  
Tel. 706.629.7791 / Toll Free: 800.456.7791 / Toll Free Fax: 800.477.4927 [www.apachemills.com](http://www.apachemills.com)

